


Updated: September 2019

RECTANGULAR TINS .

WITH ACUTE CORNERS



- Closing mechanism
- ST = slip lid
 - SCH = hinged lid
 - KSD = plastic lid with metal clip
 - PR = premium slip lid

- Lid type
- g = domed lid
 - f = flat lid
 - a = stepped lid for stacking
 - s = special lid shapes – ask about available shapes

- Curls
- IR = inward curl
 - AR = outward curl

- Legend
- | | |
|-----------------------------------|-----------------------------|
| ■ DE = lid | ■ SiDe = bead on lid |
| ■ RU = body | ■ SiRu = bead on body |
| ■ EDDe = plug lid | ■ SpDe = money slot in lid |
| ■ K = lid with knob | ■ SpRu = money slot in body |
| ■ SV = screw-on lid | ■ DR = sealing ring |
| ■ EAR = flush outward curl | ■ BF = end with feet |
| ■ UT = deep-drawn, one-piece base | ■ SPU = musical module |

- Product line
- EL = Exclusive Line
 - Available from quantities of just a few thousand
 - Embossing, debossing or relief work on the tin body and the lid
 - Bespoke formats
 - Inward curl on the tin body
 - PL = Perfect Line
 - For large-scale production
 - Outward curl on the tin body and the lid
 - Embossing on the lid possible

We offer a range of different closing mechanisms and lid types.
Please refer to the following list for specific combination options.



Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
64012	156 x 104	38	620		■				■	f		EL
64030	156 x 104	62	1000		■				■	f		EL
64025	156 x 104	69	1120		■				■	g		EL
64026	156 x 104	69	1120	■					■	g		EL
64027	156 x 104	69	1120		■				■	g	SPU	EL
57700	160 x 180	137	3860		■				■	f		EL
58600	177 x 105	74	1320	■					■	a		EL
58650	177 x 105	74	1340	■					■	f		EL
63110	185 x 105	40	770		■				■	f		EL
63010	185 x 105	62	1200		■				■	f		EL
63020	185 x 105	62	1200		■				■	g		EL
63030	185 x 105	62	1200	■					■	g		EL
63040	185 x 105	62	1200	■					■	s		EL
63050	185 x 105	62	1200		■				■	s		EL
63060	185 x 105	62	1200		■				■	s		EL
58100	187 x 157	54	1600	■					■	f		EL
58000	187 x 157	59	1730	■					■	f		EL
58200	187 x 157	90	2640	■					■	f		EL
64110	200 x 130	58	1510		■				■	f		EL
64310	200 x 130	58	1510		■				■	g		EL
58300	212 x 147	48	1400	■					■	a		EL
52400	225 x 75	70	1180	■					■	f		EL
58500	230 x 155	52	1820	■					■	a		EL
58501	230 x 155	52	1820	■					■	s		EL
53010	230 x 215	40	1900	■					■	f		EL
53020	230 x 215	40	1960	■					■	f	BF	EL
53000	230 x 215	54	2590	■					■	f		EL
53050	230 x 215	90	4400	■					■	f		EL
66110	235 x 115	41	960		■				■	f		EL
66120	235 x 115	41	1110		■				■	f		EL
66130	235 x 115	41	960	■					■	f		EL
66010	235 x 115	51	1230		■				■	f		EL
66020	235 x 115	51	1380		■				■	f	BF	EL
66140	235 x 115	87	2200	■					■	f		EL
66030	235 x 115	51	1380		■				■	g		EL
62900	235 x 115	87	2350	■					■	f		EL
62910	235 x 115	87	2350		■				■	f		EL
62800	235 x 115	88	2380	■					■	g		EL
62810	235 x 115	88	2380		■				■	g		EL



Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
54830	270 x 170	80	3530		■				■	g		EL
54860	270 x 170	80	3530		■				■	a		EL
54810	270 x 170	123	5500		■				■	g		EL
52600	280 x 120	90	3000		■				■	g		EL
52610	280 x 120	90	3000	■					■	f		EL
80000	305 x 227	70	4850		■				■	f		EL
80010	305 x 227	80	5540		■				■	f		EL
87000	305 x 227	130	9000		■				■	f		EL
87010	305 x 227	130	9000		■				■	f		EL
87020	305 x 227	130	9000		■				■	f		EL
63930	312 x 200	70	4370		■				■	g		EL
63935	312 x 200	70	4370	■					■	f		EL
63910	312 x 200	114	7110		■				■	f		EL
63915	312 x 200	114	7110	■					■	f		EL
63925	312 x 200	125	7800	■					■	f		EL
63920	312 x 200	125	7800		■				■	f		EL
63940	312 x 200	125	7800		■				■	g		EL
63900	312 x 200	162	10110		■				■	f		EL
64900	312 x 200	162	10110		■				■	g		EL
89000	313 x 261	125	10210	■					■	f		EL
88000	340 x 308	180	18850	■					■	f		EL
71050	360 x 246	100	8850		■				■	s		EL
71060	360 x 246	100	8820		■				■	s		EL
71000	360 x 246	125	11070		■				■	a		EL
71010	360 x 246	125	11070	■					■	a		EL
73400	392 x 271	140	14870		■				■	s		EL
72500	450 x 300	159	21460		■				■	f		EL
72510	450 x 300	159	21460	■					■	f		EL