




Updated: September 2019

# RECTANGULAR TINS .

## WITH ROUNDED CORNERS



- Closing mechanism
- ST = slip lid
  - SCH = hinged lid
  - KSD = plastic lid with metal clip
  - PR = premium slip lid

- Lid type
- g = domed lid
  - f = flat lid
  - a = stepped lid for stacking
  - s = special lid shapes – ask about available shapes

- Curls
- IR = inward curl
  - AR = outward curl

- Legend
- |                                   |                             |
|-----------------------------------|-----------------------------|
| ■ DE = lid                        | ■ SiDe = bead on lid        |
| ■ RU = body                       | ■ SiRu = bead on body       |
| ■ EDDe = plug lid                 | ■ SpDe = money slot in lid  |
| ■ K = lid with knob               | ■ SpRu = money slot in body |
| ■ SV = screw-on lid               | ■ DR = sealing ring         |
| ■ EAR = flush outward curl        | ■ BF = end with feet        |
| ■ UT = deep-drawn, one-piece base | ■ SPU = musical module      |

- Product line
- EL = Exclusive Line
    - Available from quantities of just a few thousand
    - Embossing, debossing or relief work on the tin body and the lid
    - Bespoke formats
    - Inward curl on the tin body
  - PL = Perfect Line
    - For large-scale production
    - Outward curl on the tin body and the lid
    - Embossing on the lid possible

We offer a range of different closing mechanisms and lid types.  
Please refer to the following list for specific combination options.



KLANN

Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
23500	105 x 100	26	160		■			■		g		EL
31025	112 x 72	128	990	■				■		a		EL
31000	112 x 72	175	1350			■						EL
31030	112 x 72	175	1360	■				■		a		EL
31010	112 x 72	189	1460			■						EL
31020	112 x 72	189	1480	■				■		a		EL
32280	118 x 87	25	250		■			■		f		EL
32200	118 x 87	52	500	■				■		a		EL
32201	118 x 87	52	500		■			■		a		EL
32210	118 x 87	52	500		■			■		g		EL
32211	118 x 87	52	500		■			■		g	SpDe	EL
32220	118 x 87	80	790		■			■		s		EL
32221	118 x 87	80	790	■				■		s		EL
32222	118 x 87	80	770		■			■		s		EL
32223	118 x 87	80	790	■				■		a		EL
32225	118 x 87	80	790	■				■		a		EL
32260	118 x 87	85	840		■			■		s		EL
32230	118 x 87	97	960		■			■		s		EL
32231	118 x 87	97	960	■				■		s		EL
32235	118 x 87	97	960	■				■		a		EL
32250	118 x 87	110	1090	■				■		a		EL
32251	118 x 87	110	1090		■			■		s		EL
32252	118 x 87	110	1090		■			■		s		EL
32255	118 x 87	110	1090	■				■		a	EAR	EL
32256	118 x 87	110	1090		■			■		a		EL
32270	118 x 87	110	1090		■			■		a		EL
32240	118 x 87	117	1170		■			■		a		EL
32241	118 x 87	117	1170	■				■		a		EL
32275	118 x 87	117	1160	■				■		s		EL
32276	118 x 87	117	1160	■				■		s	SPU	EL
32277	118 x 87	117	1160	■				■		s	SPU	EL
31200	119 x 76	189	1670	■				■		a		EL
31210	119 x 76	189	1774				■			f		EL
18120	124 x 88	19	180				■			g	UT	EL
18100	124 x 88	38	370	■					■	f	UT	EL
18110	124 x 88	43	420				■			g	UT	EL
18115	124 x 88	43	420				■			f	UT	EL
37000	124 x 106	46	530	■				■		a		EL
31530	128 x 99	145	1770	■					■	f		EL



Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
31520	128 x 99	170	2090	■					■	f		EL
31500	128 x 99	185	2270			■						EL
31510	128 x 99	185	2270	■					■	f		EL
34060	130 x 85	43	440		■			■		a		EL
34061	130 x 85	43	450		■			■		a		EL
34010	130 x 85	49	500	■				■		a		EL
34030	130 x 85	49	500		■			■		a		EL
34020	130 x 85	64	670	■				■		a		EL
34025	130 x 85	64	670	■				■		f		EL
34000	130 x 85	85	900	■				■		f		EL
34040	130 x 85	85	900	■				■		s	SiDe	EL
34045	130 x 85	85	910	■				■		g	SpDe	EL
34046	130 x 85	85	910	■				■		g	SpDe; SPU	EL
34050	130 x 85	85	900	■				■		f	SpDe	EL
56800	142 x 125	11	130		■			■		f	CD-Box	EL
24010	144 x 92	27	340		■			■		f		EL
24020	144 x 92	30	360		■			■		a		EL
24000	144 x 92	33	430		■			■		g	UT	EL
24050	144 x 92	34	400		■			■		g	UT	EL
24055	144 x 92	34	400		■			■		g	UT	EL
24030	144 x 92	46	590		■			■		g	UT	EL
24500	145 x 95	25	310		■			■		g	UT	EL
146089035	146 x 89	35	390	■	■			■				PL
146089037	146 x 89	37	410	■	■			■				PL
146089055	146 x 89	55	650	■	■			■				PL
146089060	146 x 89	60	710	■	■			■				PL
146089065	146 x 89	65	780	■	■			■				PL
146089080	146 x 89	80	970	■	■			■				PL
146089100	146 x 89	100	1220	■	■			■				PL
146089210	146 x 89	210	2640	■	■			■				PL
33370	150 x 95	27	400		■			■		g	UT	EL
33375	150 x 95	27	400	■				■		f	SiDe; UT	EL
33380	150 x 95	27	400		■			■		f	SiDe; UT	EL
33360	150 x 95	42	550	■				■		g		EL
33361	150 x 95	42	550		■			■		g		EL
33365	150 x 95	42	550		■			■		s	SiDe	EL
33366	150 x 95	42	550	■				■		s	SiDe	EL
33367	150 x 95	42	570		■			■		g		EL
33300	150 x 95	75	1020		■			■		s	SiDe	EL



Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
33305	150 x 95	75	1020	■				■		s		EL
33310	150 x 95	75	1020		■			■		g		EL
33311	150 x 95	75	1030	■				■		g		EL
33320	150 x 95	115	1590		■			■		g		EL
33340	150 x 95	115	1590	■				■		s		EL
33350	150 x 95	118	1630		■			■		g		EL
33330	150 x 95	150	2080		■			■		f	SiDe	EL
33331	150 x 95	150	2080	■				■		f	SiDe	EL
33335	150 x 95	227	3180	■				■		a		EL
33336	150 x 95	227	3343				■			f		EL
150101035	150 x 101	35	450	■	■	■		■				PL
150101042	150 x 101	42	560	■	■	■		■				PL
150101055	150 x 101	55	750	■	■	■		■				PL
150101092	150 x 101	92	1310	■	■	■		■				PL
150101130	150 x 101	130	1800	■	■	■		■				PL
150101180	150 x 101	180	2630	■	■	■		■				PL
150101195	150 x 101	195	2850	■	■	■		■				PL
150101210	150 x 101	210	3080	■	■	■		■				PL
150101216	150 x 101	216	3170	■	■	■		■				PL
150101260	150 x 101	260	3830	■	■	■		■				PL
150101310	150 x 101	310	4580	■	■	■		■				PL
33000	165 x 115	237	4425	■				■		a		EL
45520	165 x 125	13	270				■			f	UT	EL
45500	165 x 125	70	1370	■				■		a		EL
45505	165 x 125	70	1370	■				■		f		EL
45506	165 x 125	70	1370		■			■		f		EL
45510	165 x 125	70	1390				■			f		EL
46520	172 x 151	51	1240	■					■	a		EL
46500	172 x 151	65	1600	■					■	a		EL
46510	172 x 151	81	2020	■					■	a		EL
46511	172 x 151	81	2020	■					■	a	SPU	EL
46530	172 x 151	92	2320	■					■	g		EL
178123040	178 x 123	40	760	■	■			■				PL
46200	178 x 123	41	830	■				■		f		EL
46220	178 x 123	41	830		■			■		f		EL
178123060	178 x 123	60	1200	■	■			■				PL
46210	178 x 123	61	1260		■			■		f		EL
46230	178 x 123	61	1260	■				■		f		EL
178123070	178 x 123	70	1410	■	■			■				PL



Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
178123075	178 x 123	75	1520	■	■			■				PL
178123096	178 x 123	96	1980	■	■			■				PL
178123230	178 x 123	230	4890	■	■			■				PL
178123260	178 x 123	260	5550	■	■			■				PL
02400	180 x 55	17	170		■			■		f	UT	EL
36000	190 x 80	112	1600	■				■		g	SiRu	EL
36010	190 x 80	112	1600	■				■		g	SiRu; K	EL
36020	190 x 80	111	1570				■			f		EL
46700	190 x 125	70	1580		■				■	a		EL
46710	190 x 125	70	1580	■					■	a		EL
46715	190 x 125	70	1580	■					■	g		EL
46720	190 x 125	88	2000	■					■	g	SPU	EL
46721	190 x 125	88	2000		■				■	g		EL
191135070	191 x 135	70	1650	■	■			■				PL
191135090	191 x 135	90	2160	■	■			■				PL
191135105	191 x 135	105	2540	■	■			■				PL
191135128	191 x 135	128	3130	■	■			■				PL
191135155	191 x 135	155	3810	■	■			■				PL
191135190	191 x 135	190	4700	■	■			■				PL
191135210	191 x 135	210	5210	■	■			■				PL
191135220	191 x 135	220	5470	■	■			■				PL
191135230	191 x 135	230	5720	■	■			■				PL
52315	195 x 155	52	1497	■				■		f		EL
52355	195 x 155	52	1497				■			f		EL
52365	195 x 155	65	1890				■			f		EL
52325	195 x 155	102	3000		■			■		a		EL
52320	195 x 155	130	3800	■				■		a		EL
52310	195 x 155	150	4400	■				■		a		EL
52350	195 x 155	150	4400		■			■		a		EL
52300	195 x 155	170	5000	■				■		a		EL
52340	195 x 155	170	5000		■			■		a		EL
52330	195 x 155	189	5550	■				■		a	handle	EL
52335	195 x 155	189	5550	■				■		a		EL
56810	197 x 142	18	550		■			■		f	DVD-Box;UT	EL
58400	211 x 151	65	1970	■				■		s	DE book	EL
58420	211 x 151	65	2000	■				■		f		EL
58410	211 x 151	275	8660	■				■		f		EL
51900	215 x 135	42	1170	■				■		a		EL
51905	215 x 135	42	1170	■				■		f		EL



Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
51920	215 x 135	59	1650	■				■		a		EL
51910	215 x 135	65	1790	■				■		a		EL
43000	216 x 179	39	1659				■			a		EL
220160037	220 x 160	37	1110	■	■			■				PL
220160055	220 x 160	55	1740	■	■			■				PL
220160070	220 x 160	70	2260	■	■			■				PL
220160090	220 x 160	90	2960	■	■			■				PL
220160092	220 x 160	92	3030	■	■			■				PL
220160095	220 x 160	95	3130	■	■			■				PL
220160105	220 x 160	105	3490	■	■			■				PL
220160165	220 x 160	165	5580	■	■			■				PL
220160205	220 x 160	205	6970	■	■			■				PL
220160260	220 x 160	260	8890	■	■			■				PL
220160310	220 x 160	310	10630	■	■			■				PL
56820	222 x 160	22	780		■			■		f	A5; UT	EL
225120035	225 x 120	35	800	■	■			■				PL
56020	230 x 215	28	1360	■				■		a	UT	EL
56025	230 x 215	35	1700	■				■		s		EL
230215050	230 x 215	50	2221	■				■		a		PL
56010	230 x 215	53	2470	■				■		a		EL
56030	230 x 215	53	2470	■				■		a		EL
56035	230 x 215	53	2510	■				■		f		EL
56000	230 x 215	59	2760	■				■		a	SiRu	EL
56001	230 x 215	59	2760	■				■		a		EL
230215063	230 x 215	63	2890	■	■			■				PL
230215081	230 x 215	81	3780	■	■			■				PL
56060	230 x 215	84	4050	■				■		a		EL
230215095	230 x 215	95	4480	■	■			■				PL
56050	230 x 215	95	4590	■				■		f		EL
56055	230 x 215	95	4590	■				■		a	SiRu	EL
56065	230 x 215	105	5083	■				■		a		EL
230215105	230 x 215	105	4980	■	■			■				PL
59040	231 x 174	42	1560	■				■		f		EL
59041	231 x 174	42	1560		■			■		f		EL
59045	231 x 174	42	1600	■				■		s		EL
59060	231 x 174	46	1760	■				■		f		EL
59020	231 x 174	53	2000		■			■		f		EL
59030	231 x 174	53	2000	■				■		f		EL
59050	231 x 174	62	2380	■				■		f		EL



Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
59000	231 x 174	81	3130		■			■		f		EL
59010	231 x 174	81	3130	■				■		f		EL
52100	233 x 123	73	2000	■				■		f		EL
52130	233 x 123	73	2030	■				■		f	SiRu	EL
52110	233 x 123	76	2090	■				■		f		EL
52140	233 x 123	92	2570	■					■	g		EL
52120	233 x 123	125	3510	■				■		f		EL
57000	235 x 220	74	3670	■				■		a	SiRu	EL
57010	235 x 220	88	4400	■				■		a	SiRu	EL
52900	239 x 103	92	2193	■				■		f		EL
57100	240 x 160	35	1330	■				■		f	UT	EL
57240	240 x 160	42	1530	■				■		f		EL
57200	240 x 160	54	1950	■				■		f		EL
57210	240 x 160	54	1950		■			■		f		EL
57230	240 x 160	60	2180	■				■		f		EL
57220	240 x 160	84	3100	■				■		f		EL
57221	240 x 160	84	3100		■			■		f		EL
59528	241 x 183	43	1760	■				■		a		EL
59550	241 x 183	45	1860	■				■		f		EL
59551	241 x 183	45	1860		■			■		f		EL
59552	241 x 183	45	1900				■			f		EL
59553	241 x 183	45	1900	■				■		a		EL
59520	241 x 183	52	2160	■				■		f		EL
59521	241 x 183	52	2210				■			f		EL
59525	241 x 183	52	2160		■			■		f		EL
59526	241 x 183	52	2160		■			■		g		EL
59527	241 x 183	52	2160	■				■		g		EL
59530	241 x 183	54	2260	■				■		f		EL
59531	241 x 183	54	2260		■			■		f		EL
59500	241 x 183	65	2740		■			■		f		EL
59510	241 x 183	65	2740	■				■		f		EL
59511	241 x 183	65	2740	■				■		a		EL
59515	241 x 183	65	2740	■				■		s	DE book	EL
59560	241 x 183	65	2740		■			■		g		EL
59561	241 x 183	65	2740	■				■		g		EL
59562	241 x 183	65	2780		■			■		s		EL
59563	241 x 183	65	2780				■			f		EL
59565	241 x 183	65	2740	■				■		s	DE house	EL
59567	241 x 183	65	2740	■				■		s	DE bed	EL



Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
59580	241 x 183	72	3050	■				■		f		EL
59581	241 x 183	72	3090				■			f		EL
59540	241 x 183	85	3620		■			■		f		EL
59545	241 x 183	85	3620		■			■		g		EL
59546	241 x 183	85	3620	■				■		g		EL
59570	241 x 183	85	3620	■				■		f		EL
59541	241 x 183	85	3670		■			■		s		EL
59575	241 x 183	85	3670				■			f		EL
59577	241 x 183	85	3670	■				■		s	incense house	EL
59583	241 x 183	102	4420		■			■		f		EL
59590	241 x 183	126	5440	■				■		a		EL
59592	241 x 183	126	5440		■			■		g		EL
59585	241 x 183	130	5620	■				■		g		EL
59586	241 x 183	130	5620		■			■		g		EL
59595	241 x 183	189	8220	■				■		f		EL
247213050	247 x 213	50	2362	■				■		a		PL
52200	248 x 119	70	1980	■				■		f		EL
52210	248 x 119	70	1980		■			■		g		EL
52240	248 x 119	70	1980	■				■		g		EL
52220	248 x 119	74	2100	■				■		f		EL
52230	248 x 119	74	2100		■			■		g		EL
52710	260 x 135	62	2060		■			■		f		EL
52711	260 x 135	62	2060	■				■		f		EL
52700	260 x 135	76	2550		■			■		f		EL
52701	260 x 135	76	2550	■				■		f		EL
52705	260 x 135	76	2550	■				■		g		EL
52720	260 x 135	85	2870		■			■		f		EL
52725	260 x 135	85	3300	■				■		g		EL
52730	260 x 135	110	3740		■			■		g		EL
52740	260 x 135	124	4230		■			■		g		EL
59200	273 x 172	88	4030		■			■		s		EL
59205	273 x 172	88	4030		■			■		g		EL
59220	273 x 172	88	4030		■			■		g	top cut out	EL
59210	273 x 172	124	5700		■			■		g		EL
275205078	275 x 205	78	4106				■		■	f		PL
59100	277 x 187	52	2520	■					■	a		EL
59110	277 x 187	71	3550	■					■	a		EL
280199062	280 x 199	62	3171	■					■	a		PL
280199095	280 x 199	95	5000	■				■	■			PL





Updated: September 2019

Article number	Dimensions in mm		Volume in ml	Closing mechanism				Curls		Lid type	Other	Product line
	Length x width	Height		ST	SCH	KSD	PR	AR	IR			
281175070	281 x 175	70	3180	■	■			■				PL
281175076	281 x 175	76	3470	■	■			■				PL
285220095	285 x 220	95	5800	■	■			■				PL
285230055	285 x 230	55	3220	■	■			■				PL
285230061	285 x 230	61	3610	■	■			■				PL
285230080	285 x 230	80	4840	■	■			■				PL
285230095	285 x 230	95	5800	■	■			■				PL
285230143	285 x 230	143	8900	■	■			■				PL
52500	295 x 120	70	2360	■				■		f		EL
52510	295 x 120	70	2360		■			■		f		EL
56830	310 x 220	22,5	1500		■			■		f	A4; UT	EL
56835	310 x 220	22,5	1500		■			■		f	Clipboard	EL
52810	330 x 114	19	740			■				a		EL
52800	330 x 114	90	3270			■				a		EL